

399 Farmington Avenue, Farmington, CT 06032 • 860.284.0220 • WWW.ELITESPORTSMEDICINE.ORG

KNEE ARTHROSCOPY WITH TIBIAL SPINE FIXATION POST-OPERATIVE INSTRUCTIONS AND HOME EXERCISE

You are recovering from a reconstructive knee surgery.

The following information is to help make your recovery as smooth and rapid as possible.

- 1. Keep your knee elevated as much as possible for the next few days. Use crutches and brace at all times.
- 2. Keep your dressing and brace on until your follow-up visit. You may change the bandage in three (3) days or if the bandage gets wet. Keep the incision covered until seen in follow-up.
- 3. Post-operative bleeding is not unusual. Reinforce the dressing as needed.
- 4. If you have concerns about the amount of bleeding, please call.
- 5. Use your cold therapy unit as directed until you are seen in the office.
- 6. You may walk with your crutches placing no weight on your leg with your brace on. Remember that the surgery will cause your thigh muscles to be weak, so take your time and be safe.
- 7. You have received an exercise page with pictures and instructions on exercises that you may begin now. There is no limit to the amount of these exercises you may do. Stop all exercises that cause sharp pain.
- 8. Post-operative pain is common but should be controlled by the prescriptions given to you.
- 9. You will be seen for follow-up within a week. Please call our office listed below if you have any questions or concerns.

399 Farmington Avenue, Farmington, CT 06032 • 860.284.0220 • WWW.ELITESPORTSMEDICINE.ORG

KNEE ARTHROSCOPY WITH TIBIAL SPINE FIXATION POST-OPERATIVE INSTRUCTIONS AND HOME EXERCISE



Heel-Leg Prop

Elevate your leg by placing a cushion underneath your lower leg or heel as shown. While the leg is elevated, you may also bend your ankle so your foot moves up and down or in circles. Do this 4-8 times per day for 15-20 minutes. You may also sleep with your leg elevated.



Quad Set

Squeeze thigh muscles tightly, as if pressing the back of your knee into the surface you are lying on. Hold contraction for 10 seconds, repeat 30 times. Do this 4-6 times per day.



Ankle Pumps/Circles

Move your foot up and down, or in circles, from the ankle. This may be done while you are doing the Heel-Leg Prop. Repeat 4-8 times per day.



Calf Stretch

Using a towel or a belt, gently stretch your calf muscles as pictured. Keep your knee straight. Hold the stretch for 20-30 seconds. Do this 4-6 times per day.